

Chlamydia - Age- and gender-specific rates: United States, 1997

Men


Rate (per 100,000 population)

Women

2,100 1,800 1,500 1,200 900 600 300 0

Age

0 300 600 900 1,200 1,500 1,800 2,100



10-14

15-19

20-24

25-29

30-34

35-39


40-44

45-54

55-64

65+

Total



10-14

15-19

20-24

25-29

30-34

35-39

40-44

45-54

55-64


65+

Total




Chlamydia - Rates in selected U.S. cities of >200,000 population, 1984-1997

Rate (per 100,000 population)




Chlamydia - Positivity among women tested in family planning clinics by race and ethnicity: Region X, 1988-1997




Note: Women who met screening criteria were tested.
 Source: Region X Chlamydia Project (Alaska, Idaho, Oregon, and Washington)

Chlamydia - Number of states that require reporting of Chlamydia trachomatis infections: United States, 1987-1997




Chlamydia - Positivity among women tested in family planning clinics by age group: Region X, 1988-1997



Note: Women who met screening criteria were tested.


Source: Region X Chlamydia Project (Alaska, Idaho, Oregon, and Washington)

Chlamydia - Positivity among women tested in family planning: clinics by state: Region X, 1988-1997




Note: Women who met screening criteria were tested
Source: Region X Chlamydia Project (Alaska, Idaho, Oregon, and Washington)

Chlamydia - Reported rates: United States, 1984-1997



Chlamydia - Rates by gender: United States, 1984-1997



Chlamydia - Rates by region: United States, 1984-1997

